

A COMPLETE

LED LIGHTING SOLUTION PROVIDER

SHENZHEN HELIAN
ELECTRONICS CO.,LTD

HELIAN

<http://www.hllcd.com>



HELIAN



Shenzhen Helian Electronics Co.,Ltd (HLLED) is a high-technology enterprise established in 2007 Aiming to provide cost-effective lighting solutions. As a leading LED lighting solutions provider, Helian is proud of its highly-trained and seasoned lighting experts, professional sales representatives, and skilled staff, who provide exceptional customer support and service. Over the past 16 years, we have developed LED strip lights and have expanded our business network into Europe, America, Russia, and other parts of the world. Our producing area is over 20000 m² and 500 employees specializing in OEM integration and more than owns a strong competitive team with much spirit of team work, which also process a sense of social responsibility.

Our product lines include a full-range of surface, recessed, and pendant mounted linear LED fixtures for decorative and general lighting purposes, in addition to an unparalleled selection of high-quality components: LED linear light, LED aluminum profiles, LED cabinet light, LED flexible strips, LED neon light, LED lighting accessories, and different types of power-supplies and controls for low-voltage LED lighting. Helian is committed to innovate its products to reflect the best and latest solid-state lighting technology as demand for LED lighting increases. Helian products have gained more than just patents, such as design recognition and functionality. As a manufacturer of customized LED lighting systems, Our company is well known for its strategic design mindset, which is widely used in airports, museums, libraries, residential, galleries, corridors, offices, reception areas, cinema halls, laboratories, entertainment facilities, hotels, exhibition halls, theme venues, schools and colleges, indoors and outdoors, clinics and hospitals, parking lots with sidewalks, as well as other venues.

With an unwavering commitment to quality and full-service project management and support, our goal is to deliver robust and reliable lighting systems that are simple to install, affordable, and most importantly—realize the vision of the homeowner, designer, or builder-alike.

We passed ISO14001:2015, ISO 9001:2015 version international quality administration certification successively, and our series products are certified by UL, CE, RoHS, product safety certifications and so on. Our story is one of impressive evolution and establishing a relationship of trust with our customers. The reputation of the company is forged thanks to each quality project realized in collaboration with our agents. We are proud to develop products on which our collaborator can count on for maximum performance and built with quality materials for years of durability. To meet every customer's needs, Helian continuously develops innovative products based on solid technical knowledge. It is our vision to provide beautiful LED strip lighting to every corner of the world. Everyone has the right to live in a beautiful environment with beautiful lighting. Keeping our vision in mind, we strive to offer everyone the best LED Lighting at fair prices. Discover the advantages of partnering with Helian by contacting us today!

SMALL-DIAMETER PROFILES / P004~P041





HL-BAPL040L 025 HL-BAPL048 025 HL-BAPL049 026 HL-BAPL050 026 HL-BAPL056 027 HL-BAPL057 027 HL-BAPL059 028



HL-BAPL065-F 028 HL-BAPL066-F 029 HL-BAPL067-F 029 HL-BAPL068 030 HL-BAPL069-F 030 HL-BAPL070-F 031 HL-BAPL071-F 031



HL-A013-1 032 HL-A013-2 032 HL-A032 033 HL-A033 033 HL-A034 034 HL-A035 034 HL-A042 035



HL-A043 035 HL-A044 036 HL-A045 036 HL-A052 037 HL-A054 037 HL-A061 038 HL-A063 038




HL-A064 039 HL-A065 039 HL-A074 040 HL-A090 040 HL-A091 041

PRODUCT OVERVIEW



HL-0809	
Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	6mm
Length	4m/max
Application	For offices/conference rooms/ supermarkets/home lighting application.



Installation Accessories



Aluminum Profile



End Cap



Clip


Optional cover



Opal (PC)



HL-0814	
Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	6mm
Length	4m/max
Application	For offices/conference rooms/ supermarkets/home lighting application.



Installation Accessories



Aluminum Profile



End Cap




Clip

Optional cover




Opal (PC)






HL-1010	
Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	8mm
Length	4m/max
Application	For offices/conference rooms/ supermarkets/home lighting application.



Installation Accessories



Aluminum Profile



End Cap



Clip


Optional cover



Opal
(PC)




HL-1407	
Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	12mm
Length	4m/max
Application	For offices/conference rooms/ supermarkets/home lighting application.



Installation Accessories



Aluminum Profile



End Cap



Clip


Optional cover



Opal
(PC)



HL-1010Q	
Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	8mm
Length	4m/max
Application	For offices/conference rooms/ supermarkets/home lighting application.



Installation Accessories



Aluminum Profile



End Cap



Clip


Optional cover



Opal
(PC)




HL-2010	
Material	AL6063-T5+PC
Surface	Anodized/Painting
Lighting source width	17mm
Length	4m/max
Application	For offices/conference rooms/ supermarkets/home lighting application.




Installation Accessories



Aluminum Profile



End Cap



Clip

Optional cover




Opal
(PC)





HL-2206	
Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	10mm
Length	4m/max
Application	For offices/conference rooms/ supermarkets/home lighting application.




Installation Accessories



Aluminum Profile End Cap Clip


Optional cover



Opal (PC)



HL-BAPL002	
Material	AL6063+PC/PMMA
Surface	Anodized/Painting
Lighting source width	12mm
Length	4m/max
Application	For wardrobe/bookcase/bars/ counter and other cabinet application.




Installation Accessories



Aluminum Profile End Cap Clip Connector


Optional cover



Opal (PC) Opal matte (PMMA/PC) Clear (PMMA/PC) Semi-clear (PMMA/PC) black clear (PC) black opal (PC) prism diffuser (PC) Silicone



HL-BAPL001	
Material	AL6063+PC/PMMA/Silicone
Surface	Anodized/Painting
Lighting source width	12mm
Length	4m/max
Application	Apply to office, boardroom, supermarket and home lighting, mainly application for drywall and ceiling.




Installation Accessories



Aluminum Profile End Cap Clip


Optional cover



Opal (PC) Opal matte (PMMA/PC) Clear (PMMA/PC) Semi-clear (PMMA/PC) black clear (PC) black opal (PC) prism diffuser (PC) Silicone



HL-BAPL002L	
Material	AL6063+PMMA
Surface	Anodized/Painting
Lighting source width	12mm
Length	4m/max
Application	For cupboard/hotel/supermarket/ corridor decoration application.



Installation Accessories



Aluminum Profile End Cap Clip

Optional cover




Clear (PMMA)





HL-BAPL002S	
Material	AL6063+PC/PMMA
Surface	Anodized/Painting
Lighting source width	6mm
Length	4m/max
Application	For cupboard /hotel/supermarket/ corridor decoration application.



Installation Accessories



Aluminum Profile



End Cap



Clip

Optional cover



Opal (PC)



Opal matte (PMMA/PC)




Clear (PMMA/PC)




Semi-clear (PMMA/PC)




HL-BAPL004	
Material	AL6063+PC/PMMA
Surface	Anodized/Painting
Lighting source width	12mm
Length	4m/max
Application	For wardrobe/bookcase/barscounter and other cabinet application.



Installation Accessories



Aluminum Profile



End Cap



Clip

Optional cover



Opal (PC)



Opal matte (PMMA/PC)



Clear (PMMA/PC)



Semi-clear (PMMA/PC)



black clear (PC)



black opal (PC)




prism diffuser (PC)



Silicone



HL-BAPL003	
Material	AL6063+PC/PMMA
Surface	Anodized/Painting
Lighting source width	12mm
Length	4m/max
Application	For wardrobe/bookcase/bars/ counter and other cabinet application.



Installation Accessories



Aluminum Profile



End Cap



Clip

Optional cover



Opal (PC)



Opal matte (PMMA/PC)



Clear (PMMA/PC)



Semi-clear (PMMA/PC)



black clear (PC)



black opal (PC)




prism diffuser (PC)



Silicone



HL-BAPL004H	
Material	AL6063+PC/PMMA
Surface	Anodized/Painting
Lighting source width	12mm
Length	4m/max
Application	For wardrobe/bookcase/barscounter and other cabinet application



Installation Accessories



Aluminum Profile



End Cap



Clip

Optional cover




Clear (PMMA)





HL-BAPL005	
Material	AL6063+PC/PMMA
Surface	Anodized/Painting
Lighting source width	10mm
Length	4m/max
Application	For wardrobe/Bookcase/Bars/Counter and other cabinet application.




Installation Accessories



Optional cover




HL-BAPL007	
Material	AL6063+PC/PMMA
Surface	Anodized/Painting
Lighting source width	12mm
Length	4m/max
Application	For wardrobe/Bookcase/Bars/Counter and other cabinet application.




Installation Accessories



Optional cover



HL-BAPL006	
Material	AL6063+PC/PMMA
Surface	Anodized/Painting
Lighting source width	10mm
Length	4m/max
Application	For wardrobe/Bookcase/Bars/Counter and other cabinet application.




Installation Accessories



Optional cover



HL-BAPL008	
Material	AL6063+PMMA
Surface	Anodized/Painting
Lighting source width	12mm
Length	4m/max
Application	For closets/cloakrooms/dressing rooms /fitting rooms/lockers, etc.



Installation Accessories




Optional cover





HL-BAPL009	
Material	AL6063+PMMA
Surface	Anodized/Painting
Lighting source width	9mm
Length	4m/max
Application	Apply to office, boardroom, supermarket and home lighting, mainly application for drywall and ceiling.



Installation Accessories



Aluminum Profile



End Cap


Optional cover



Opal matte (PMMA)




HL-BAPL011	
Material	AL6063+PC/PMMA
Surface	Anodized/Painting
Lighting source width	17mm
Length	4m/max
Application	For offices /conference rooms/ supermarkets / home lighting application.



Installation Accessories



Aluminum Profile



End Cap

Optional cover



Opal (PC)



Opal matte (PMMA)




Clear (PMMA/PC)



Semi-clear (PMMA)



HL-BAPL010	
Material	AL6063+PC/PMMA
Surface	Anodized/Painting
Lighting source width	17mm
Length	4m/max
Application	For offices/conference rooms /supermarkets/home lighting application.



Installation Accessories



Aluminum Profile



End Cap

Optional cover



Opal matte (PMMA)



Clear (PMMA)



Semi-clear (PMMA)




Opal microprism (PC)



Clear microprism (PC)



HL-BAPL013	
Material	AL6063+PC/PMMA
Surface	Anodized/Painting
Lighting source width	20mm
Length	4m/max
Application	Apply to office, boardroom,supermarket and home lighting, mainly application for drywall and ceiling.



Installation Accessories



Aluminum Profile



End Cap



Clip

Optional cover



Opal (PC)




Opal matte (PMMA)



Clear (PMMA/PC)



Semi-clear (PMMA/PC)




Black clear (PC)





HL-BAPLO13H1	
Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	20mm
Length	4m/max
Application	For offices/conference rooms/ supermarkets/home lighting application.



Installation Accessories




Aluminum Profile End Cap Clip

Optional cover



HL-BAPLO14	
Material	AL6063+PC/PMMA
Surface	Anodized/Painting
Lighting source width	20mm
Length	4m/max
Application	For offices/conference rooms, supermarkets/home lighting application.




Installation Accessories




Aluminum Profile End Cap Clip


Optional cover



HL-BAPLO13H2	
Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	12mm
Length	4m/max
Application	For offices /conference rooms/ supermarkets/home lighting application.



Installation Accessories




Aluminum Profile End Cap Clip Suspended Rope


Optional cover



HL-BAPLO14H1	
Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	20mm
Length	4m/max
Application	For offices/conference rooms/ supermarkets/home lighting application.



Installation Accessories




Aluminum Profile End Cap Clip

Optional cover





HL-BAPL015	
Material	AL6063+PMMA
Surface	Anodized/Painting
Lighting source width	20mm
Length	4m/max
Application	For wardrobe/bookcase/bars/counter and other cabinet application.



Installation Accessories




Aluminum Profile End Cap Clip

Optional cover



HL-BAPL021	
Material	AL6063+PC/PMMA
Surface	Anodized/Painting
Lighting source width	12mm
Length	4m/max
Application	For roads/corridor/conference room/hotel and other public place application.




Installation Accessories




Aluminum Profile End Cap Clip

Optional cover



HL-BAPL016	
Material	AL6063+PC/PMMA
Surface	Anodized/Painting
Lighting source width	20mm
Length	4m/max
Application	For wardrobe/bookcase/bars/counter and other cabinet application.



Installation Accessories




Aluminum Profile End Cap Clip


Optional cover



HL-BAPL023	
Material	AL6063+PC/PMMA
Surface	Anodized/Painting
Lighting source width	12mm
Length	4m/max
Application	For cupboard/hotel/supermarket/corridor decoration application.



Installation Accessories




Aluminum Profile End Cap

Optional cover





HL-BAPL025	
Material	AL6063+PC/PMMA
Surface	Anodized/Painting
Lighting source width	21mm
Length	4m/max
Application	For offices/conference rooms/ supermarkets/home lighting application.




Installation Accessories



Optional cover




HL-BAPL027	
Material	AL6063+PC/PMMA
Surface	Anodized/Painting
Lighting source width	12mm
Length	4m/max
Application	For offices/conference rooms/ supermarkets/home lighting application.




Installation Accessories



Optional cover



HL-BAPL026	
Material	AL6063+PC/PMMA
Surface	Anodized/Painting
Lighting source width	20mm
Length	4m/max
Application	For offices/conference rooms/ supermarkets/home lighting application.




Installation Accessories



Optional cover



HL-BAPL028	
Material	AL6063+PMMA
Surface	Anodized/Painting
Lighting source width	35mm
Length	4m/max
Application	For offices/conference rooms/ supermarkets/home lighting application.



Installation Accessories




Optional cover





HL-BAPL029	
Material	AL6063+PC/PMMA
Surface	Anodized/Painting
Lighting source width	12mm
Length	4m/max
Application	For hotel/living room/corridor/KTV decoration application.



Installation Accessories




Aluminum Profile End Cap Clip


Optional cover



Opal (PC) Opal matte (PC) Clear (PC) Semi-clear (PC) black clear (PC) black opal (PC) Silicone



HL-BAPL033	
Material	AL6063+PMMA
Surface	Anodized/Painting
Lighting source width	16mm
Length	4m/max
Application	For offices/conference rooms/supermarkets/home lighting application.



Installation Accessories



Aluminum Profile End Cap Clip


Optional cover



Opal matte (PMMA) Clear (PMMA) Semi-clear (PMMA)



HL-BAPL030	
Material	AL6063+PC/PMMA
Surface	Anodized/Painting
Lighting source width	12mm
Length	4m/max
Application	For hotel / living room/corridor /KTV decoration application.



Installation Accessories



Aluminum Profile End Cap Clip


Optional cover



Opal (PC) Opal matte (PC) Clear (PC) Semi-clear (PC) black clear (PC) black opal (PC) Silicone



HL-BAPL034	
Material	AL6063+PMMA
Surface	Anodized/Painting
Lighting source width	16mm
Length	4m/max
Application	For offices/conference rooms/supermarkets/home lighting application.



Installation Accessories




Aluminum Profile End Cap Clip

Optional cover




Clear (PMMA)





HL-BAPL035	
Material	AL6063+PC/PMMA
Surface	Anodized/Painting
Lighting source width	16mm
Length	4m/max
Application	For offices/conference rooms/ supermarkets/home lighting application.



Installation Accessories



Aluminum Profile



End Cap



Clip

Optional cover



Opal (PC)



Opal matte (PMMA)




Clear (PMMA/PC)



Semi-clear (PMMA)



HL-BAPL039	
Material	AL6063+PMMA
Surface	Anodized/Painting
Lighting source width	12mm
Length	4m/max
Application	Apply to office, boardroom,supermarket and home lighting, mainly application for drywall and ceiling.



Installation Accessories



Aluminum Profile



End Cap

Optional cover



Opal matte (PMMA)




Clear (PMMA)



Semi-clear (PMMA)



HL-BAPL036	
Material	AL6063+PC/PMMA
Surface	Anodized/Painting
Lighting source width	10mm
Length	4m/max
Application	For offices/conference rooms/ supermarkets/home lighting application.



Installation Accessories



Aluminum Profile



End Cap



Clip

Optional cover



Opal matte (PMMA)



Clear (PMMA)



Semi-clear (PMMA)




Opal microprism (PC)



Clear microprism (PC)



HL-BAPL040	
Material	AL6063+PC/PMMA
Surface	Anodized/Painting
Lighting source width	6mm
Length	4m/max
Application	For hotel/living room/corridor /KTV decoration application.



Installation Accessories



Aluminum Profile



End Cap



Clip

Optional cover



Opal (PC)



Opal matte (PMMA/PC)



Clear (PMMA/PC)




Semi-clear (PMMA/PC)





HL-BAPL040L	
Material	AL6063+PC/PMMA
Surface	Anodized/Painting
Lighting source width	13mm
Length	4m/max
Application	For hotel/living room/corridor /KTV decoration application.



Installation Accessories



Aluminum Profile




End Cap




Clip

Optional cover




HL-BAPL049	
Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	12mm
Length	4m/max
Application	For stairs/park/supermarkets and other public place application.



Installation Accessories



Aluminum Profile




End Cap

Optional cover



HL-BAPL048	
Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	12mm
Length	4m/max
Application	For stairs/park/supermarkets and other public place application.



Installation Accessories



Aluminum Profile



End Cap


Optional cover



Opal (PC)



HL-BAPL050	
Material	AL6063+PC/PMMA
Surface	Anodized/Painting
Lighting source width	18mm
Length	4m/max
Application	Apply to office, boardroom, supermarket and home lighting, mainly application for drywall and ceiling.



Installation Accessories



Aluminum Profile




End Cap



Clip



Suspended Rope



Connector

Optional cover



Opal (PC)

Opal matte (PMMA)

Clear (PMMA/PC)


Semi-clear (PMMA/PC)

Black clear (PC)





HL-BAPL056	
Material	AL6063+PC/PMMA
Surface	Anodized/Painting
Lighting source width	17mm
Length	4m/max
Application	For offices/conference rooms/ supermarkets/home lighting application.




Installation Accessories



Aluminum Profile End Cap Suspended Rope Clip


Optional cover



Opal matte (PMMA) Clear (PMMA) Semi-clear (PMMA) Opal microprism (PC) Clear microprism (PC)



HL-BAPL059	
Material	AL6063+PMMA
Surface	Anodized/Painting
Lighting source width	17mm
Length	4m/max
Application	For offices/conference rooms/ supermarkets/home lighting application.



Installation Accessories



Aluminum Profile End Cap Suspended Rope Clip


Optional cover



Clear (PMMA)



HL-BAPL057	
Material	AL6063+PC/PMMA
Surface	Anodized/Painting
Lighting source width	17mm
Length	4m/max
Application	For offices/conference rooms/ supermarkets/home lighting application.




Installation Accessories




Aluminum Profile End Cap Suspended Rope Clip


Optional cover



Opal (PC) Opal matte (PMMA) Clear (PMMA/PC) Semi-clear (PMMA)



HL-BAPL065-F	
Material	PMMA
Surface	Double color
Lighting source width	9mm
Length	4m/max
Application	For outdoors/building/pool/square decoration/park decoration application.



Installation Accessories




End Cap Clip Waterproof Grade

Optional cover




Opal matte+light lense (PMMA)





HL-BAPL066-F	
Material	PMMA
Surface	Double color
Lighting source width	10mm
Length	4m/max
Application	For outdoors/building/pool/square decoration/park decoration application.



Installation Accessories



End Cap



Clip



Waterproof Grade


Optional cover



Opal matte+light lens (PMMA)



HL-BAPL068	
Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	25mm
Length	4m/max
Application	For offices/conference rooms/supermarkets/home lighting application.




Installation Accessories



Aluminum Profile




End Cap



Clip



Suspended Rope



Connector


Optional cover



Opal (PC)



HL-BAPL067-F	
Material	PMMA
Surface	Double color
Lighting source width	8mm
Length	4m/max
Application	For outdoors/building/pool/square decoration/park decoration application.



Installation Accessories



End Cap



Clip



Waterproof Grade


Optional cover



Opal matte+light lens (PMMA)



HL-BAPL069-F	
Material	PC
Surface	Double color
Lighting source width	11mm
Length	4m/max
Application	For outdoors/building/pool/square decoration/park decoration application.



Installation Accessories



End Cap



Clip




Waterproof Grade

Optional cover




Opal matte+light lens (PC)






HL-BAPL070-F	
Material	PC
Surface	Double color
Lighting source width	13mm
Length	4m/max
Application	For outdoors/building/pool/square decoration/park decoration application.



Installation Accessories



End Cap



Clip



Waterproof Grade


Optional cover



Opal matte+light lense (PC)




HL-A013-1	
Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	20mm
Length	4m/max
Application	For offices, conference rooms, supermarkets, home lighting, etc.



Installation Accessories



Aluminum Profile




End Cap



Clip



Suspended Rope



Connector


Optional cover




Opal (PC)



HL-BAPL071-F	
Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	10mm
Length	4m/max
Application	For outdoors/building/pool/square decoration/park decoration application.



Installation Accessories



Aluminum Profile



End Cap



Clip


Optional cover



Opal matte+light lense (PC)




HL-A013-2	
Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	20mm
Length	4m/max
Application	For offices, conference rooms, supermarkets, home lighting, etc.



Installation Accessories



Aluminum Profile



End Cap



Clip



Suspended Rope



Connector

Optional cover




Opal (PC)





HL-A032	
Material	AL6063+PMMA
Surface	Anodized/Painting
Lighting source width	25mm
Length	4m/max
Application	Suspended Mounted.




Installation Accessories



Aluminum Profile



End Cap



Clip


Optional cover




Clear (PMMA)




HL-A034	
Material	AL6063+PC/PMMA
Surface	Anodized/Painting
Lighting source width	24mm
Length	4m/max
Application	For offices, conference rooms, supermarkets, home lighting, etc.



Installation Accessories



Aluminum Profile



End Cap



Clip




Suspended Rope




Connector

Optional cover




HL-A033	
Material	AL6063+PMMA
Surface	Anodized/Painting
Lighting source width	25mm
Length	4m/max
Application	For offices, conference rooms, supermarkets, home lighting, etc.



Installation Accessories



Aluminum Profile



End Cap



Clip



Suspended Rope



Connector


Optional cover



Clear (PMMA)



HL-A035	
Material	AL6063+PC/PMMA
Surface	Anodized/Painting
Lighting source width	24mm
Length	4m/max
Application	For offices, conference rooms, supermarkets, home lighting, etc.



Installation Accessories



Aluminum Profile



End Cap





Clip




Connector

Optional cover





HL-A042	
Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	8mm
Length	4m/max
Application	The extrusion with LED light source is mostly used as interior lighting, curved lighting.



Installation Accessories



Aluminum Profile End Cap Clip Bending Degree


Optional cover




Opal (PC) Clear (PC) Semi-clear (PC)



HL-A044	
Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	21mm
Length	4m/max
Application	Cabinet lighting



Installation Accessories




Aluminum Profile End Cap


Optional cover




Opal (PC)



HL-A043	
Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	12mm
Length	4m/max
Application	The extrusion with LED light source is mostly used as interior lighting, curved lighting.



Installation Accessories



Aluminum Profile End Cap Clip Bending Degree


Optional cover




Opal (PC) Clear (PC) Semi-clear (PC)



HL-A045	
Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	13mm
Length	4m/max
Application	Cabinet lighting



Installation Accessories



Aluminum Profile End Cap Clip

Optional cover




Opal (PC)





HL-A052	
Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	12mm
Length	4m/max
Application	Widely used in shopping centers, commercial buildings, office buildings, home lighting, etc.




Installation Accessories



Aluminum Profile



End Cap



Clip



Suspended Rope


Optional cover



Opal (PC)




HL-A061	
Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	8mm
Length	4m/max
Application	Widely used in 90 degree corners, etc.



Installation Accessories



Aluminum Profile



End Cap


Optional cover



Opal (PC)



HL-A054	
Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	12mm
Length	4m/max
Application	Widely used in shopping centers, commercial buildings, office buildings, home lighting, etc.



Installation Accessories



Aluminum Profile



End Cap



Clip




Suspended Rope


Optional cover



Opal (PC)




HL-A063	
Material	AL6063+PC/PMMA
Surface	Anodized/Painting
Lighting source width	7mm
Length	4m/max
Application	Widely used in shopping centers, commercial buildings, office buildings, home lighting, etc.



Installation Accessories



Aluminum Profile



End Cap



Clip

Optional cover



Opal (PC)



Opal matte (PMMA/PC)



Clear (PMMA/PC)




Semi-clear (PMMA/PC)





HL-A064	
Material	AL6063+PC/PMMA
Surface	Anodized/Painting
Lighting source width	6mm
Length	4m/max
Application	Widely used in shopping centers, commercial buildings, office buildings, home lighting, etc.



Installation Accessories



Aluminum Profile End Cap Clip


Optional cover




Opal (PC) Opal matte (PMMA/PC) Clear (PMMA/PC) Semi-clear (PMMA/PC)



HL-A074	
Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	15mm
Length	4m/max
Application	Widely used in shopping centers, commercial buildings, office buildings, home lighting, etc.



Installation Accessories



Aluminum Profile End Cap Clip Suspended Rope Connector


Optional cover



Opal (PC)



HL-A065	
Material	AL6063+PC/PMMA
Surface	Anodized/Painting
Lighting source width	6mm
Length	4m/max
Application	Widely used in shopping centers, commercial buildings, office buildings, home lighting, etc.



Installation Accessories



Aluminum Profile End Cap Clip


Optional cover




Opal (PC) Opal matte (PMMA/PC) Clear (PMMA/PC) Semi-clear (PMMA/PC)



HL-A090	
Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	10mm
Length	4m/max
Application	For offices, conference rooms, supermarkets, home lighting application.



Installation Accessories



Aluminum Profile End Cap Suspended Rope

Optional cover




Opal (PC)






HL-A091	
Material	Al6063+PC
Surface	Anodized/Painting
Lighting source width	8mm
Length	4m/max
Application	For offices, conference rooms, supermarkets, home lighting application.




Installation Accessories



Aluminum Profile



End Cap



Clip

Optional cover



Opal (PC)



FINISHED PRODUCTS



A wide range of profiles provide solution to create a cohesive lighting scheme in every space of interior design.



LED linear lighting system is the icing on the cake to create inspiration and illumination for all of your interior spaces, entire buildings.



Clear, even light distribution enhances your indoor and outdoor experiences. With its perfectly even and soft lighting, it is the ideal



For additional product information, technical downloads, project inspiration, contact details and much more... please go to

www.hlled.com

Shenzhen Helian Electronics Co.,Ltd

Address: 3F, Tonggao building 2, Sanlian industrial area, Songbai Rd, Shiyan Town, Bao'an District, Shenzhen, Guangdong, China

Tel: (86)-755-27606785

Fax: (86)755-27607521

E-mail: admin@hlled.com

