



HELIAN

A COMPLETE
LED Lighting Solution Provider

HELIAN

Shenzhen Helian Electronics Co.,Ltd

WELCOME
TO HELIAN



HELIAN

Shenzhen Helian Electronics Co.,Ltd (HLED) is a high-technology enterprise established in 2007 Aiming to provide cost-effective lighting solutions. As a leading LED lighting solutions provider, Helian is proud of its highly-trained and seasoned lighting experts, professional sales representatives, and skilled staff, who provide exceptional customer support and service. Over the past 16 years, we have developed LED strip lights and have expanded our business network into Europe, America, Russia, and other parts of the world. Our producing area is over 20000 m² and 500 employees specializing in OEM integration and more than owns a strong competitive team with much spirit of team work, which also process a sense of social responsibility.

Our product lines include a full-range of surface, recessed, and pendant mounted linear LED fixtures for decorative and general lighting purposes, in addition to an unparalleled selection of high-quality components: LED linear light, LED aluminum profiles, LED cabinet light, LED flexible strips, LED neon light, LED lighting accessories, and different types of power-supplies and controls for low-voltage LED lighting. Helian is committed to innovate its products to reflect the best and latest solid-state lighting technology as demand for LED lighting increases. Helian products have gained more than just patents, such as design recognition and functionality. As a manufacturer of customized LED lighting systems, Our company is well known for its strategic design mindset, which is widely used in airports, museums, libraries, residential, galleries, corridors, offices, reception areas, cinema halls, laboratories, entertainment facilities, hotels, exhibition halls, theme venues, schools and colleges, indoors and outdoors, clinics and hospitals, parking lots with sidewalks, as well as other venues.


With an unwavering commitment to quality and full-service project management and support, our goal is to deliver robust and reliable lighting systems that are simple to install, affordable, and most importantly—realize the vision of the homeowner, designer, or builder-alike.

We passed ISO14001:2015, ISO 9001:2015 version international quality administration certification successively, and our series products are certified by UL, CE, RoHS, product safety certifications and so on. Our story is one of impressive evolution and establishing a relationship of trust with our customers. The reputation of the company is forged thanks to each quality project realized in collaboration with our agents. We are proud to develop products on which our collaborator can count on for maximum performance and built with quality materials for years of durability. To meet every customer's needs, Helian continuously develops innovative products based on solid technical knowledge. It is our vision to provide beautiful LED strip lighting to every corner of the world. Everyone has the right to live in a beautiful environment with beautiful lighting. Keeping our vision in mind, we strive to offer everyone the best LED lighting at fair prices. Discover the advantages of partnering with Helian by contacting us today!



LED linear lighting system is the icing on the cake to create inspiration and illumination for all of your interior spaces, entire buildings.


FINISHED PRODUCTS



A wide range of profiles provide solution to create a cohesive lighting scheme in every space of interior design.



Clean-cut light distribution to boost your outdoor experience. Perfectly uniform, diffused lighting is ideal for outdoor lighting solutions offer.



FINISHED PRODUCTS

Slim linear light fixture can create unexpected lighting effects in the scene.




Linear lights are suitable for all styles of interior kitchen designs.




The combination of linear profiles can also fill the space with novelty.



The partition series profile in ceiling system can be adjusted to provide flexibility to interior space.



Commercial lighting can be tailored to fit a stable light source or embellish the entire space.



Linear lights are suitable for all styles of interior kitchen designs.



Lighting with profile system can be used to perfectly present closing in interior design from all kinds of secondary spaces and help create pleasant overall atmosphere.



Custom Color

You can choose a custom color from the color card. We support a variety of color cards to choose from.





Installation Method of LED Aluminum Profiles

You can press hard or drag it in.



Diffuser options

-High impact PC/PMMA/Acrylic diffuser including PMMA black, opal, frosted and clear finish to suit most of our aluminum profiles.



About packaging



1. Bundle the covers in a certain quantity



2. Bundle aluminum materials in a certain quantity



3. Put the bundled aluminum materials into the cardboard box



4. Put the cover into the cardboard box as well!



5. Seven layer thick ened cardboard box outer packaging

HL SERIES / P013~P190





HL-BAPL041 097 HL-BAPL042 099 HL-BAPL043 101 HL-BAPL044 103 HL-BAPL044A 105 HL-BAPL044B 107 HL-BAPL044C 109



HL-BAPL045 111 HL-BAPL046 113 HL-BAPL047 115 HL-BAPL048 117 HL-BAPL049 119 HL-BAPL050 121 HL-BAPL051 123



HL-BAPL052 125 HL-BAPL053 127 HL-BAPL054 129 HL-BAPL055 131 HL-BAPL056 133 HL-BAPL057 135 HL-BAPL058 137



HL-BAPL059 139 HL-BAPL060 141 HL-BAPL061 143 HL-BAPL062 145 HL-BAPL063 147 HL-BAPL064A 149 HL-BAPL064B 149



HL-BAPL064C 149 HL-BAPL065F 151 HL-BAPL066F 153 HL-BAPL067F 155 HL-BAPL068 157 HL-BAPL068F 159 HL-BAPL69A 160



HL-BAPL069B 160 HL-BAPL069C 160 HL-BAPL069F 162 HL-BAPL070F 164 HL-BAPL071F 166 HL-0809 168 HL-0814 170



HL-1010 172 HL-1010Q 174 HL-1407 176 HL-2206 178 HL-BAPL004H 180 HL-BAPL013H1 182 HL-BAPL013H2 184



HL-BAPL014H1 186 HL-BAPL014H2 188 HL-BAPL030L 190

A SERIES

/ P194~P376




A001 194



A002 196 A003 198 A004 200 A005 202 A006 204 A007 206 A008 208



A009 210 A010 212 A011 214 A012 216 A013-1 218 A013-2 220 A014 222



A015 224 A016 226 A017 228 A018 230 A019 232 A020 234 A021 236



A022 238 A023 240 A024-1 242 A024-2 244 A024-3 246 A025 248 A027 250



A028 252 A029 254 A030 256 A031 258 A032 260 A033 262 A034 264



A035 266 A036 268 A037 270 A038 272 A039 274 A040 276 A041 278



A042/A043 280 A044 282 A045 284 A046 286 A046-1 288 A047 290 A048 292



A049 294 A050 296 A051 298 A052 300 A053 302 A054 304 A055 306



A056 308 A057 310 A058 312 A059 314 A060 316 A061 318 A062 320



A063 322 A064 324 A065 326 A066 328 A067 330 A068 332 A069 334



A070 336 A071 338 A072 340 A073 342 A074 344 A076 346 A077 348



A078 350 A079 352 A080 354 A081 356 A082 358 A084 360 A085 362



A085-1 364 A086 366 A088 368 A089 370 A090 372 A091 374 A092 376

B SERIES / P378~P390




B5075 378 B5075A 380 B5075C 382 B6065 384 B009 386 B3535 388 B5050 390


HL-BAPL001




Material	AL6063+PC/PMMA/Silicone
Surface	Anodized/Painting
Lighting source width	12mm
Length	4m/max
Application	Apply to office, boardroom, supermarket and home lighting, mainly application for drywall and ceiling.



• Optional cover



I Structure image




I Effect image




HL-BAPL002



Material	AL6063+PC/PMMA
Surface	Anodized/Painting
Lighting source width	12mm
Length	4m/max
Application	For wardrobe / bookcase / bars / counter and other cabinet application.



I Structure image



I Effect image



Aluminum Profile



End Cap



Clip



Connector

• Optional cover



Opal (PC)



Opal matte (PMMA/PC)



Clear (PMMA/PC)



Semi-clear (PMMA/PC)



Black clear (PC)




Black opal (PC)



Prism diffuser (PC)

HL-BAPL002L



Material	AL6063+PMMA
Surface	Anodized/Painting
Lighting source width	12mm
Length	4m/max
Application	For cupboard/hotel/supermarket /corridor decoration application.



Aluminum Profile



End Cap




Clip

• Optional cover



Clear (PMMA)

I Structure image




I Effect image




HL-BAPL002S



Material	AL6063+PC/PMMA
Surface	Anodized/Painting
Lighting source width	6mm
Length	4m/max
Application	For cupboard / hotel / supermarket / corridor decoration application.



I Structure image



I Effect image




Aluminum Profile

End Cap

Clip

• Optional cover



Opal (PC)


Opal matte (PMMA/PC)

Clear (PMMA/PC)

Semi-clear (PMMA/PC)



HL-BAPL003



Material	AL6063+PC/PMMA
Surface	Anodized/Painting
Lighting source width	12mm
Length	4m/max
Application	For wardrobe / bookcase / bars / counter and other cabinet application.



Aluminum Profile



End Cap



Clip

• Optional cover



Opal (PC)



Opal matte (PMMA/PC)



Clear (PMMA/PC)



Semi-clear (PMMA/PC)



black clear (PC)



black opal (PC)




prism diffuser (PC)



Silicone

I Structure image



I Effect image






HL-BAPL004



Material	AL6063+PC/PMMA
Surface	Anodized/Painting
Lighting source width	12mm
Length	4m/max
Application	For wardrobe / bookcase / bars counter and other cabinet application.




Aluminum Profile

End Cap

Clip


I Structure image



I Effect image



• Optional cover



Opal (PC)

Opal matte (PMMA/PC)

Clear (PMMA/PC)

Semi-clear (PMMA/PC)

black clear (PC)

black opal (PC)


prism diffuser (PC)

Silicone

HL-BAPL005




Material	AL6063+PC/PMMA
Surface	Anodized/Painting
Lighting source width	10mm
Length	4m/max
Application	For wardrobe / Bookcase / Bars / Counter and other cabinet application.



• Optional cover



I Structure image




I Effect image



HL-BAPL006



Material	AL6063+PC/PMMA
Surface	Anodized/Painting
Lighting source width	10mm
Length	4m/max
Application	For wardrobe / Bookcase / Bars / Counter and other cabinet application.



Aluminum Profile



End Cap



Clip



Connector

• Optional cover



Opal (PC)



Opal matte (PMMA)



Clear (PMMA/PC)



Semi-clear (PMMA/PC)



Black clear (PC)



Opal microprism (PC)




Clear microprism (PC)



Semi-clear microprism (PC)

I Structure image




I Effect image



HL-BAPL007



Material	AL6063+PC/PMMA
Surface	Anodized/Painting
Lighting source width	12mm
Length	4m/max
Application	For wardrobe / Bookcase / Bars / Counter and other cabinet application.



Aluminum Profile



End Cap



Clip

• Optional cover



Opal (PC)



Opal matte (PMMA)




Clear (PMMA/PC)



Semi-clear (PMMA/PC)

I Structure image




I Effect image



HL-BAPL008



Material	Al6063+PMMA
Surface	Anodized/Painting
Lighting source width	12mm
Length	4m/max
Application	For closets / cloakrooms / dressing rooms / fitting rooms / lockers, etc.



Aluminum Profile



End Cap



Mounting Bracket



Suspended Rope

• Optional cover



Opal matte (PMMA)




Clear (PMMA)



Semi-clear (PMMA)




I Structure image



I Effect image



HL-BAPL009



Material	Al6063+PMMA
Surface	Anodized/Painting
Lighting source width	9mm
Length	4m/max
Application	Apply to office, boardroom, supermarket and home lighting, mainly application for drywall and ceiling.



Aluminum Profile




End Cap

• Optional cover




Opal matte (PMMA)

I Structure image



I Effect image






HL-BAPL010




Material	AL6063+PC/PMMA
Surface	Anodized/Painting
Lighting source width	17mm
Length	4m/max
Application	For offices / conference rooms / supermarkets / home lighting application.



• Optional cover



I Structure image




I Effect image



HL-BAPLO11



Material	AL6063+PC/PMMA
Surface	Anodized/Painting
Lighting source width	17mm
Length	4m/max
Application	For offices / conference rooms / supermarkets / home lighting application.



Aluminum Profile



End Cap

• Optional cover



Opal (PC)



Opal matte (PMMA)




Clear (PMMA/PC)



Semi-clear (PMMA)

I Structure image




I Effect image



HL-BAPL012



Material	AL6063+PMMA
Surface	Anodized/Painting
Lighting source width	17mm
Length	4m/max
Application	For offices / conference rooms / supermarkets / home lighting application.



Aluminum Profile



End Cap


• Optional cover



Clear (PMMA)



I Structure image




I Effect image



HL-BAPLO13




Material	AL6063+PC/PMMA
Surface	Anodized/Painting
Lighting source width	20mm
Length	4m/max
Application	Apply to office, boardroom, supermarket and home lighting, mainly application for drywall and ceiling.



• Optional cover



I Structure image




I Effect image




HL-BAPLO14



Material	AL6063+PC/PMMA
Surface	Anodized/Painting
Lighting source width	20mm
Length	4m/max
Application	For offices / conference rooms / supermarkets / home lighting application.



I Structure image




I Effect image



• Optional cover



HL-BAPL015



Material	AL6063+PMMA
Surface	Anodized/Painting
Lighting source width	20mm
Length	4m/max
Application	For wardrobe / bookcase / bars / counter and other cabinet application.



Aluminum Profile



End Cap



Clip

• Optional cover



Opal matte (PMMA)




Clear (PMMA)



Semi-clear (PMMA)

I Structure image




I Effect image



HL-BAPL016



Material	AL6063+PC/PMMA
Surface	Anodized/Painting
Lighting source width	20mm
Length	4m/max
Application	For wardrobe / bookcase / bars / counter and other cabinet application.



Aluminum Profile

End Cap

Clip

• Optional cover



Opal (PC)

Opal matte (PMMA)

Clear (PMMA/PC)


Semi-clear (PMMA/PC)

Opal microprism (PC)

Clear Microprism (PC)



I Structure image




I Effect image



HL-BAPL017




Material	AL6063+PC/PMMA
Surface	Anodized/Painting
Lighting source width	32mm
Length	4m/max
Application	Apply to office, boardroom, supermarket and home lighting, mainly application for drywall and ceiling.




• Optional cover



I Structure image




I Effect image



HL-BAPLO18



Material	AL6063+PC/PMMA
Surface	Anodized/Painting
Lighting source width	32mm
Length	4m/max
Application	For offices / conference rooms / supermarkets / home lighting application.




Aluminum Profile




End Cap

• Optional cover



I Structure image




I Effect image



HL-BAPL019



Material	AL6063+PC/PMMA
Surface	Anodized/Painting
Lighting source width	32mm
Length	4m/max
Application	For offices / conference rooms / supermarkets / home lighting application.




Aluminum Profile



End Cap

• Optional cover



Opal (PC)




Clear (PC)



Semi-clear (PC)



Black clear microprism (PC)



Opal microprism (PC)



Clear Microprism (PMMA)




Semi-clear microprism (PMMA)



Opal matte microprism (PMMA)

I Structure image




I Effect image



HL-BAPLO20



Material	AL6063+PC/PMMA
Surface	Anodized/Painting
Lighting source width	32mm
Length	4m/max
Application	For offices / conference rooms / supermarkets / home lighting application.




Aluminum Profile




End Cap

• Optional cover




I Structure image



I Effect image



HL-BAPLO21



Material	AL6063+PC/PMMA
Surface	Anodized/Painting
Lighting source width	12mm
Length	4m/max
Application	For roads/corridor/conference room/ hotel and other public place application.



Aluminum Profile



End Cap



Clip

• Optional cover



Opal (PC)



Opal matte (PMMA/PC)



Clear (PMMA/PC)



Semi-clear (PMMA/PC)



black clear (PC)



black opal (PC)




prism diffuser (PC)




Silicone

I Structure image



I Effect image






HL-BAPLO22



Material	AL6063+PC/PMMA
Surface	Anodized/Painting
Lighting source width	12mm
Length	4m/max
Application	For stairs / park / supermarkets and other public place application.




Aluminum Profile




End Cap

I Structure image




I Effect image




• Optional cover

HL-BAPLO23



Material	AL6063+PC/PMMA
Surface	Anodized/Painting
Lighting source width	12mm
Length	4m/max
Application	For cupboard / hotel / supermarket / corridor decoration application.




Aluminum Profile




End Cap

• Optional cover



I Structure image




I Effect image



HL-BAPLO24



Material	AL6063+PC/PMMA
Surface	Anodized/Painting
Lighting source width	18mm
Length	4m/max
Application	For roads / corridor / conference room / office ceiling application.



Aluminum Profile



End Cap

• Optional cover



Opal (PC)



Opal matte (PMMA)



Clear (PMMA/PC)




Semi-clear (PMMA/PC)



Black clear (PC)




I Structure image



I Effect image



HL-BAPL025



Material	AL6063+PC/PMMA
Surface	Anodized/Painting
Lighting source width	21mm
Length	4m/max
Application	For offices / conference rooms / supermarkets / home lighting application.



Aluminum Profile



End Cap

Clip

• Optional cover



Opal (PC)



Opal matte (PMMA)



Clear (PMMA/PC)




Semi-clear (PMMA/PC)



Black clear (PC)

I Structure image




I Effect image



HL-BAPL026



Material	AL6063+PC/PMMA
Surface	Anodized/Painting
Lighting source width	20mm
Length	4m/max
Application	For offices / conference rooms / supermarkets / home lighting application.




Aluminum Profile End Cap Suspended Rope


• Optional cover




I Structure image



I Effect image



HL-BAPLO27



Material	AL6063+PC/PMMA
Surface	Anodized/Painting
Lighting source width	12mm
Length	4m/max
Application	For offices / conference rooms / supermarkets / home lighting application.



Aluminum Profile



End Cap



Clip



Suspended Rope

• Optional cover



Opal (PC)



Opal matte (PMMA/PC)



Clear (PMMA/PC)



Semi-clear (PMMA/PC)



black clear (PC)



black opal (PC)




prism diffuser (PC)




Silicone

I Structure image



I Effect image






HL-BAPL028



Material	AL6063+PMMA
Surface	Anodized/Painting
Lighting source width	35mm
Length	4m/max
Application	For offices/conference rooms/ supermarkets/home lighting application.



Aluminum Profile



End Cap



Suspended Rope

• Optional cover



Opal matte
(PMMA)




Clear
(PMMA)



Semi-clear
(PMMA)

I Structure image




I Effect image



HL-BAPLO29




Material	AL6063+PC/PMMA
Surface	Anodized/Painting
Lighting source width	12mm
Length	4m/max
Application	For hotel / living room / corridor / KTV decoration application.




• Optional cover



I Structure image




I Effect image



HL-BAPLO30




Material	AL6063+PC/PMMA
Surface	Anodized/Painting
Lighting source width	12mm
Length	4m/max
Application	For hotel / living room / corridor / KTV decoration application.



• Optional cover




I Structure image



I Effect image



HL-BAPLO31



Material	AL6063+PMMA
Surface	Anodized/Painting
Lighting source width	16mm
Length	4m/max
Application	For offices / conference rooms / supermarkets / home lighting application.



Aluminum Profile



End Cap



Clip

• Optional cover



Opal matte (PMMA)




Clear (PMMA)



Semi-clear (PMMA)

I Structure image




I Effect image



HL-BAPL032



Material	AL6063+PMMA
Surface	Anodized/Painting
Lighting source width	16mm
Length	4m/max
Application	For offices / conference rooms / supermarkets / home lighting application.




Aluminum Profile End Cap Clip

• Optional cover



Opal matte (PMMA) Clear (PMMA) Semi-clear (PMMA)


I Structure image



I Effect image



HL-BAPLO33



Material	AL6063+PMMA
Surface	Anodized/Painting
Lighting source width	16mm
Length	4m/max
Application	For offices / conference rooms / supermarkets / home lighting application.



Aluminum Profile

End Cap

Clip

• Optional cover




Opal matte (PMMA)

Clear (PMMA)

Semi-clear (PMMA)

I Structure image





I Effect image



HL-BAPLO34



Material	AL6063+PMMA
Surface	Anodized/Painting
Lighting source width	16mm
Length	4m/max
Application	For offices / conference rooms / supermarkets / home lighting application.



Aluminum Profile


End Cap

Clip


• Optional cover



Clear (PMMA)



I Structure image




I Effect image



HL-BAPL035



Material	AL6063+PC/PMMA
Surface	Anodized/Painting
Lighting source width	16mm
Length	4m/max
Application	For offices / conference rooms / supermarkets / home lighting application.




Aluminum Profile

End Cap

Clip

• Optional cover




Opal (PC)

Opal matte (PMMA)


Clear (PMMA/PC)

Semi-clear (PMMA)


I Structure image



I Effect image



HL-BAPL036



Material	Al6063+PC/PMMA
Surface	Anodized/Painting
Lighting source width	16mm
Length	4m/max
Application	For offices / conference rooms / supermarkets / home lighting application.



Aluminum Profile



End Cap



Clip

• Optional cover



Opal matte (PMMA)



Clear (PMMA)



Semi-clear (PMMA)




Opal microprism (PC)



Clear Microprism (PC)

I Structure image




I Effect image



HL-BAPLO38




Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	25mm
Length	4m/max
Application	For offices / conference rooms / supermarkets / home lighting application.



• Optional cover




I Structure image




I Effect image



HL-BAPLO39



Material	AL6063+PMMA
Surface	Anodized/Painting
Lighting source width	12mm
Length	4m/max
Application	Apply to office, boardroom, supermarket and home lighting, mainly application for drywall and ceiling.



Aluminum Profile



End Cap

• Optional cover



Opal matte (PMMA)




Clear (PMMA)



Semi-clear (PMMA)

I Structure image





I Effect image




HL-BAPLO40




Material	AL6063+PMMA
Surface	Anodized/Painting
Lighting source width	6mm
Length	4m/max
Application	For hotel / living room / corridor / KTV decoration application.



• Optional cover



I Structure image




I Effect image




HL-BAPLO40L




Material	AL6063+PC/PMMA
Surface	Anodized/Painting
Lighting source width	13mm
Length	4m/max
Application	For hotel / living room / corridor / KTV decoration application.



• Optional cover



I Structure image




I Effect image



HL-BAPLO41



Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	128mm
Length	4m/max
Application	For offices / conference rooms / supermarkets / home lighting application.



Aluminum Profile



End Cap



Suspended Rope

• Optional cover



Opal (PC)




Clear (PC)



Semi-clear (PC)




I Structure image



I Effect image



HL-BAPL042



Material	AL6063+PMMA
Surface	Anodized/Painting
Lighting source width	12mm
Length	4m/max
Application	For warehouse/garage/office / conference room/exhibition room application.



Aluminum Profile

End Cap

Clip

• Optional cover




Opal (PC)

Opal matte (PMMA)

Clear (PMMA/PC)


Semi-clear (PMMA/PC)

I Structure image



I Effect image






HL-BAPLO43



Material	AL6063+PMMA
Surface	Anodized/Painting
Lighting source width	12mm
Length	4m/max
Application	For warehouse/garage/office / conference room/exhibition room application.



Aluminum Profile



End Cap



Clip

• Optional cover



Opal (PC)



Opal matte (PMMA)




Clear (PMMA/PC)




Semi-clear (PMMA/PC)

I Structure image




I Effect image



HL-BAPLO44



Material	Al6063
Surface	Anodized/Painting
Lighting source width	13mm
Length	4m/max
Application	For kitchen and bathroom / advertising / house decoration application.



Aluminum Profile



End Cap




Suspended Rope



Mounting Screw

I Structure image




I Effect image



HL-BAPLO44A



Material	AL6063
Surface	Anodized/Painting
Lighting source width	10mm
Length	4m/max
Application	For kitchen and bathroom / advertising/house decoration application.



Aluminum Profile




End Cap




Clip




I Structure image



I Effect image



HL-BAPLO44B



Material	AL6063
Surface	Anodized/Painting
Lighting source width	10mm
Length	4m/max
Application	For kitchen and bathroom / advertising/house decoration application.




Aluminum Profile




End Cap

I Structure image




I Effect image



HL-BAPLO44C



Material	AL6063
Surface	Anodized/Painting
Lighting source width	10mm
Length	4m/max
Application	For kitchen and bathroom / advertising / house decoration application.




Aluminum Profile



End Cap


I Structure image



I Effect image



HL-BAPLO45



Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	25mm
Length	4m/max
Application	For offices / conference rooms / supermarkets / home lighting application.



Aluminum Profile



End Cap



Suspended Rope



Connector

• Optional cover



Opal (PC)




Clear (PC)



Semi-clear (PC)

I Structure image



I Effect image






HL-BAPL046



Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	25mm
Length	4m/max
Application	For offices / conference rooms / supermarkets / home lighting application.



Aluminum Profile



Clip



End Cap

• Optional cover



Opal (PC)




Suspended Rope



Connector

I Structure image




I Effect image



HL-BAPLO47



Material	Al6063+PC/PMMA
Surface	Anodized/Painting
Lighting source width	10mm
Length	4m/max
Application	For stairs / park / supermarkets and other public place application.




Aluminum Profile




End Cap

• Optional cover



Opal (PC) Opal matte (PMMA/PC) Clear (PMMA/PC) Semi-clear (PMMA/PC) black clear (PC) black opal (PC) prism diffuser (PC) Silicone

I Structure image




I Effect image



HL-BAPLO48



Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	12mm
Length	4m/max
Application	For stairs / park / supermarkets and other public place application.



Aluminum Profile



End Cap


• Optional cover



Opal (PC)




I Structure image



I Effect image



HL-BAPL049



Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	12mm
Length	4m/max
Application	For stairs / park / supermarkets and other public place application.



Aluminum Profile




End Cap

• Optional cover



Opal (PC)

I Structure image





I Effect image



HL-BAPLO50




Material	AL6063+PC/PMMA
Surface	Anodized/Painting
Lighting source width	18mm
Length	4m/max
Application	Apply to office, boardroom, supermarket and home lighting, mainly application for drywall and ceiling.




• Optional cover




I Structure image



I Effect image



HL-BAPLO51



Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	40mm
Length	4m/max
Application	For offices / conference rooms / supermarkets / home lighting application.



Aluminum Profile



Aluminum End Cap (optional)



Plastic End Cap (optional)



Suspended Rope



Connector

• Optional cover



Opal (PC)




Clear (PC)



Semi-clear (PC)

I Structure image



I Effect image






HL-BAPL052



Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	40mm
Length	4m/max
Application	For offices / conference rooms / supermarkets / home lighting application.



Plastic End Cap (optional)



Aluminum End Cap (optional)



Aluminum Profile



Suspended Rope



Connector

• Optional cover



Opal (PC)




Clear (PC)



Semi-clear (PC)

I Structure image





I Effect image



HL-BAPL053




Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	34mm
Length	4m/max
Application	For offices / conference rooms / supermarkets / home lighting application.




• Optional cover



I Structure image




I Effect image



HL-BAPL054




Material	Al6063+PC
Surface	Anodized/Painting
Lighting source width	64mm
Length	4m/max
Application	For offices/conference rooms / supermarkets/home lighting application.



• Optional cover




I Structure image



I Effect image



HL-BAPL055



Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	58mm
Length	4m/max
Application	For offices/conference rooms / supermarkets/home lighting application.



Aluminum Profile



Plastic End Cap (optional)



Aluminum End Cap (optional)



Clip

• Optional cover



Opal (PC)




Clear (PC)




Semi-clear (PC)

I Structure image




I Effect image



HL-BAPL056



Material	AL6063+PC/PMMA
Surface	Anodized/Painting
Lighting source width	17mm
Length	4m/max
Application	For offices/conference rooms / supermarkets/home lighting application.




Aluminum Profile End Cap Suspended Rope

• Optional cover



Opal matte (PMMA) Clear (PMMA) Semi-clear (PMMA) Opal microprism (PC) Clear Microprism (PC)


I Structure image



I Effect image



HL-BAPLO57




Material	Al6063+PC/PMMA
Surface	Anodized/Painting
Lighting source width	17mm
Length	4m/max
Application	For offices/conference rooms / supermarkets/home lighting application.




Aluminum Profile End Cap Suspended Rope

• Optional cover



Opal (PC) Opal matte (PMMA) Clear (PMMA/PC) Semi-clear (PMMA)

I Structure image



I Effect image






HL-BAPL058



sliver

Material	AL6063+PMMA
Surface	Anodized/Painting
Lighting source width	17mm
Length	4m/max
Application	For offices/conference rooms / supermarkets/home lighting application.



Aluminum Profile



End Cap



Suspended Rope

• Optional cover



Opal matte (PMMA)




Clear (PMMA)



Semi-clear (PMMA)

I Structure image




I Effect image



HL-BAPL059




Material	AL6063+PMMA
Surface	Anodized/Painting
Lighting source width	17mm
Length	4m/max
Application	For offices/conference rooms / supermarkets/home lighting application.



• Optional cover



I Structure image




I Effect image



HL-BAPLO60




Material	AL6063+PMMA
Surface	Anodized/Painting
Lighting source width	17mm
Length	4m/max
Application	For offices/conference rooms / supermarkets/home lighting application.



• Optional cover




I Structure image




I Effect image



HL-BAPL061



Material	AL6063+PMMA
Surface	Anodized/Painting
Lighting source width	17mm
Length	4m/max
Application	For offices/conference rooms / supermarkets/home lighting application.



Aluminum Profile



End Cap



Suspended Rope

• Optional cover



Opal matte (PMMA)




Clear (PMMA)



Semi-clear (PMMA)

I Structure image




I Effect image



HL-BAPL062



Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	25mm
Length	4m/max
Application	For hotel / living room / corridor / KTV decoration application.



Aluminum Profile



End Cap

• Optional cover




Opal (PC)



Clear (PC)


I Structure image



I Effect image



HL-BAPL063



Material	AL6063+PC/PMMA
Surface	Anodized/Painting
Lighting source width	33mm
Length	4m/max
Application	For offices/conference rooms / supermarkets/home lighting application.



Aluminum Profile



End Cap



Suspended Rope




Connector

• Optional cover



I Structure image



I Effect image





HL-BAPL064A/B/C



Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	24mm
Length	4m/max
Application	For offices/conference rooms / supermarkets/home lighting application.



Aluminum Profile



Suspended Rope



Connector



End Cap (BAPL064A)



End Cap (BAPL064B)



End Cap (BAPL064C)

• Optional cover



Opal (BAPL064A PC)




Opal (BAPL064B PC)




Opal (BAPL064C PC)

I Structure image




I Effect image



HL-BAPL065-F




Material	PMMA
Surface	Double color
Lighting source width	9mm
Length	4m/ max
Application	For outdoors/building/pool / square decoration/park decoration application.



• Optional cover



I Structure image




I Effect image



HL-BAPL066-F



Material	PMMA
Surface	Double color
Lighting source width	10mm
Length	4m/max
Application	For outdoors/building/pool / square decoration/park decoration application.




• Optional cover



Opal matte + light lens (PMMA)





I Structure image



I Effect image



HL-BAPLO67-F



Material	PMMA
Surface	Double color
Lighting source width	8mm
Length	4m/max
Application	For outdoors/building/pool / square decoration/park decoration application.



IP 67


Waterproof Grade

• Optional cover



Opal matte + light lens (PMMA)

I Structure image




I Effect image



HL-BAPLO68



Material	Al6063+PC
Surface	Anodized/Painting
Lighting source width	25mm
Length	4m/max
Application	For offices/conference rooms / supermarkets/home lighting application.



Aluminum Profile



End Cap



Suspended Rope




Connector

• Optional cover




Opal (PC)


I Structure image



I Effect image



HL-BAPL068-F



Material	PC
Surface	Double color
Lighting source width	10mm
Length	4m/max
Application	For outdoors/building/pool / square decoration/park decoration application.



End Cap



Clip

IP 67


Waterproof Grade

• Optional cover



Opal matte + light lens (PC)


I Structure image



I Effect image



HL-BAPL069-A/B/C




Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	23mm
Length	4m/max
Application	For offices/conference rooms / supermarkets/home lighting application.



• Optional cover



I Structure image




I Effect image



HL-BAPL069-F



Material	PC
Surface	Double color
Lighting source width	11mm
Length	4m/max
Application	For outdoors/building/pool / square decoration/park decoration application.



End Cap



Clip

IP 67

Waterproof Grade


• Optional cover




Opal matte + light lens (PC)



I Structure image




I Effect image



HL-BAPLO70-F



Material	PC
Surface	Double color
Lighting source width	13mm
Length	4m/max
Application	For outdoors/building/pool / square decoration/park decoration application.



IP 67

Waterproof Grade


- Optional cover



Opal matte + light lens (PC)




I Structure image



I Effect image



HL-BAPL071-F



Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	10mm
Length	4m/max
Application	For outdoors/building/pool / square decoration/park decoration application.



Aluminum Profile



End Cap




Clip

• Optional cover




Opal matte + light lens (PC)

I Structure image




I Effect image



HL-0809



Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	6mm
Length	4m/max
Application	For offices/conference rooms / supermarkets/home lighting application.



Aluminum Profile




End Cap



Clip

• Optional cover




Opal (PC)

Black Opal (PC)




I Structure image

I Effect image





HL-0814



Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	6mm
Length	4m/max
Application	For offices/conference rooms / supermarkets/home lighting application.

• Optional cover




Aluminum Profile



End Cap




Clip



Opal (PC)

Black Opal (PC)

I Structure image




I Effect image




HL-1010



Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	8mm
Length	4m/max
Application	For offices/conference rooms / supermarkets/home lighting application.



Aluminum Profile



End Cap



Clip

• Optional cover




Opal (PC)



Black Opal (PC)




I Structure image



I Effect image



HL-1010Q



Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	8mm
Length	4m/max
Application	For offices/conference rooms / supermarkets/home lighting application.



Aluminum Profile



End Cap



Clip

• Optional cover




Opal (PC)



Black Opal (PC)

I Structure image





I Effect image



HL-1407




Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	12mm
Length	4m/max
Application	For offices/conference rooms / supermarkets/home lighting application.



• Optional cover



I Structure image




I Effect image



HL-2206



Material	Al6063+PC
Surface	Anodized/Painting
Lighting source width	10mm
Length	4m/max
Application	For offices/conference rooms / supermarkets/home lighting application.



Aluminum Profile



End Cap



Clip

• Optional cover




Opal (PC)



Black Opal (PC)

I Structure image




I Effect image



HL-BAPL004H



Material	AL6063+PMMA
Surface	Anodized/Painting
Lighting source width	12mm
Length	4m/max



Application For wardrobe / bookcase / bar scouter and other cabinet application.



Aluminum Profile



End Cap




Suspended Rope

• Optional cover



Clear (PMMA)


I Structure image



I Effect image




HL-BAPLO13H1



Material	AL6063+PMMA
Surface	Anodized/Painting
Lighting source width	20mm
Length	4m/max
Application	For offices / conference rooms/ supermarkets / home lighting application.



Aluminum Profile



End Cap



Suspended Rope

• Optional cover



Opal (PC)



Opal matte (PMMA)



Clear (PMMA/PC)




Semi-clear (PMMA/PC)




Black clear (PC)



I Structure image



I Effect image




HL-BAPLO13H2




Material	AL6063+PC/PMMA
Surface	Anodized/Painting
Lighting source width	12mm
Length	4m/max

Application For offices / conference rooms/ supermarkets / home lighting application.



Aluminum Profile



End Cap



Suspended Rope



Suspended Rope

• Optional cover



Opal (PC)



Opal matte (PMMA)



Clear (PMMA/PC)




Semi-clear (PMMA/PC)




Black clear (PC)




I Structure image




I Effect image




HL-BAPLO14H1




I Structure image



I Effect image



Material	AL6063+PC/PMMA
Surface	Anodized/Painting
Lighting source width	20mm
Length	4m/max
Application	For offices / conference rooms/ supermarkets / home lighting application.



Aluminum Profile



End Cap



Clip

• Optional cover



Opal (PC)



Opal matte (PMMA)



Clear (PMMA/PC)



Semi-clear (PMMA/PC)




Black clear (PC)



HL-BAPLO14H2




Material	AL6063+PC/PMMA
Surface	Anodized/Painting
Lighting source width	12mm
Length	4m/max
Application	For offices / conference rooms/ supermarkets / home lighting application.



• Optional cover



I Structure image




I Effect image




HL-BAPLO30L




Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	12mm
Length	4m/max
Application	For offices / conference rooms / supermarkets / home lighting application.



I Structure image



I Effect image



• Optional cover







A SERIES TO SEE


HL-A001



Material	AL6063+PC/PMMA
Surface	Anodized/Painting
Lighting source width	UP 20mm, Down 22mm
Length	4m/max
Application	For offices, conference rooms, supermarkets, home lighting, etc.



I Structure image




I Effect image



HL-A002



Material	AL6063+PC/PMMA
Surface	Anodized/Painting
Lighting source width	max 13mm/ max 7mm
Length	4m/max
Application	Ceiling corner lighting.




Aluminum Profile

• Optional cover



I Structure image




I Effect image



HL-A003



Material	AL6063+PC/PMMA
Surface	Anodized/Painting
Lighting source width	max13mm, max7mm
Length	4m/max
Application	Ceiling corner lighting.




Aluminum Profile

• Optional cover



I Structure image




I Effect image



HL-A004



Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	max13mm, max7mm
Length	4m/max
Application	Ceiling corner lighting.




Aluminum Profile

• Optional cover



I Structure image




I Effect image




HL-A005




Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	35mm
Length	4m/max
Application	For offices, conference rooms, supermarkets, home lighting, etc.



• Optional cover



I Structure image




I Effect image



HL-A006



Material	AL6063+PC/PMMA
Surface	Anodized/Painting
Lighting source width	9mm
Length	4m/max
Application	Trimless recessed in drywall.




Aluminum Profile

• Optional cover



I Structure image





I Effect image




HL-A007




Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	50mm
Length	4m/max
Application	For offices, conference rooms, supermarkets, home lighting, etc.





I Structure image



I Effect image



HL-A008



Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	34mm
Length	4m/max
Application	For offices, conference rooms, supermarkets, home lighting, etc.



Aluminum Profile



End Cap



Suspended Rope




Connector

• Optional cover




Opal (PC)

I Structure image



I Effect image






HL-A009




Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	7mm,22mm
Length	4m/max
Application	For Hotel, Home lighting, vip nursing room, vip business room, etc.



• Optional cover



I Structure image




I Effect image




HL-A010




Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	5mm
Length	4m/max
Application	For a variety of high-end decorative lighting.



• Optional cover



I Structure image




I Effect image



HL-A011



Material	Al6063+PC
Surface	Anodized/Painting
Lighting source width	5mm
Length	4m/max
Application	For a variety of high-end decorative lighting.



Aluminum Profile



End Cap



Clip


• Optional cover




Opal (PC)



Light guide plate (PMMA)




I Structure image



I Effect image



HL-A012



Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	10mmx4
Length	4m/max
Application	For offices, conference rooms, supermarkets, home lighting, etc.



Aluminum Profile



End Cap



Suspended Rope




Connector

• Optional cover




Opal (PC)

I Structure image




I Effect image



HL-A013-1




Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	20mm
Length	4m/max
Application	For offices, conference rooms, supermarkets, home lighting, etc.



• Optional cover




I Structure image



I Effect image



HL-A013-2



Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	20mm
Length	4m/max
Application	For offices, conference rooms, supermarkets, home lighting, etc.



Aluminum Profile



End Cap



Clip



Suspended Rope




Connector

• Optional cover



Opal (PC)

I Structure image



I Effect image






HL-A014




Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	31mm
Length	4m/max
Application	For offices, conference rooms, supermarkets, home lighting, etc.




• Optional cover



I Structure image




I Effect image



HL-A015




Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	31mm
Length	4m/max
Application	For offices, conference rooms, supermarkets, home lighting, etc.



• Optional cover



I Structure image




I Effect image




HL-A016




Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	16mm
Length	4m/max
Application	For offices, conference rooms, supermarkets, home lighting, etc.



• Optional cover




I Structure image



I Effect image




HL-A017




Material	Al6063+PC
Surface	Anodized/Painting
Lighting source width	18mm
Length	4m/max
Application	For offices, conference rooms, supermarkets, home lighting, etc.



• Optional cover




I Structure image



I Effect image



HL-A018-1



Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	33mm
Length	4m/max
Application	For offices, conference rooms, supermarkets, home lighting, etc.



Aluminum Profile



End Cap



Clip



Suspended Rope



Connector


• Optional cover




Opal (PC)




I Structure image



I Effect image



HL-A019



Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	64mm
Length	4m/max
Application	For offices, conference rooms, supermarkets, home lighting, etc.



Aluminum Profile



End Cap



Clip



Suspended Rope



Connector

• Optional cover



Opal (PC)




Clear (PC)




Semi-clear (PC)

I Structure image




I Effect image



HL-A020



Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	63mm
Length	4m/max
Application	For offices, conference rooms, supermarkets, home lighting, etc.



Aluminum Profile



Clip



Connector



End Cap

• Optional cover



Opal (PC)




Clear (PC)




Semi-clear (PC)



I Structure image




I Effect image



HL-A021




Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	32mm
Length	4m/max
Application	For offices, conference rooms, supermarkets, home lighting, etc.



• Optional cover



I Structure image




I Effect image



HL-A022




Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	31mm
Length	4m/max
Application	For offices, conference rooms, supermarkets, home lighting, etc.



• Optional cover



I Structure image




I Effect image



HL-A023




Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	32mm
Length	4m/max
Application	For offices, conference rooms, supermarkets, home lighting, etc.



• Optional cover



I Structure image




I Effect image



HL-A024-1



Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	66mm
Length	4m/max
Application	For offices, conference rooms, supermarkets, home lighting, etc.



Aluminum Profile



End Cap



Clip



Suspended Rope



Connector


• Optional cover




Opal (PC)




I Structure image



I Effect image




HL-A024-2




Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	35mm
Length	4m/max
Application	For offices, conference rooms, supermarkets, home lighting, etc.





• Optional cover



I Structure image




I Effect image



HL-A024-3



Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	14mm
Length	4m/max
Application	For offices, conference rooms, supermarkets, home lighting, etc.



Aluminum Profile



End Cap



Clip



Suspended Rope



Connector

• Optional cover



Opal



Opal matte



Clear



Semi-clear



black clear




black opal



Silicone



I Structure image




I Effect image



HL-A025




Material	AL6063+PC/PMMA
Surface	Anodized/Painting
Lighting source width	14mm
Length	4m/max
Application	For offices, conference rooms, supermarkets, home lighting, etc.



• Optional cover



I Structure image




I Effect image




HL-A027



Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	72mm
Length	4m/max
Application	For offices, conference rooms, supermarkets, home lighting, etc.



I Structure image



I Effect image




• Optional cover



HL-A028



Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	72mm
Length	4m/max
Application	For offices, conference rooms, supermarkets, home lighting, etc.



Aluminum Profile



End Cap



Clip



Suspended Rope




Connector

• Optional cover



Opal (PC)

I Structure image




I Effect image



HL-A029



Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	89mm
Length	4m/max
Application	For offices, conference rooms, supermarkets, home lighting, etc.



Aluminum Profile



End Cap



Clip



Connector


• Optional cover



Opal (PC)




I Structure image



I Effect image



HL-A030



Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	66mm
Length	4m/max
Application	For offices, conference rooms, supermarkets, home lighting, etc.



Aluminum Profile



End Cap



Clip



Suspended Rope




Connector

• Optional cover



Opal (PC)

I Structure image



I Effect image






HL-A031



Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	89mm
Length	4m/max
Application	For offices, conference rooms, supermarkets, home lighting, etc.



Aluminum Profile



End Cap



Clip

• Optional cover



Opal (PC)




Suspended Rope



Connector

I Structure image




I Effect image



HL-A032




Material	AL6063+PMMA
Surface	Anodized/Painting
Lighting source width	25mm
Length	4m/max
Application	Suspended Mounted.




• Optional cover



I Structure image




I Effect image



HL-A033




Material	AL6063+PMMA
Surface	Anodized/Painting
Lighting source width	25mm
Length	4m/max
Application	For offices, conference rooms, supermarkets, home lighting, etc.



• Optional cover




I Structure image




I Effect image




HL-A034



Material	AL6063+PC/PMMA
Surface	Anodized/Painting
Lighting source width	24mm
Length	4m/max
Application	For offices, conference rooms, supermarkets, home lighting, etc.




I Structure image



I Effect image




• Optional cover




HL-A035




Material	AL6063+PC/PMMA
Surface	Anodized/Painting
Lighting source width	24mm
Length	4m/max
Application	For offices, conference rooms, supermarkets, home lighting, etc.



• Optional cover




I Structure image



I Effect image



HL-A036



Material	Al6063+PC
Surface	Anodized/Painting
Lighting source width	8mm
Length	4m/max
Application	For offices, conference rooms, supermarkets, home lighting, etc.



Aluminum Profile



End Cap



Clip



Suspended Rope




Connector

• Optional cover



Opal (PC)

I Structure image




I Effect image






HL-A037




Material	Al6063+PC
Surface	Anodized/Painting
Lighting source width	20mm
Length	4m/max
Application	For offices, conference rooms, supermarkets, home lighting, etc.



• Optional cover



I Structure image




I Effect image




HL-A038




Material	AL6063+PC/PMMA
Surface	Anodized/Painting
Lighting source width	31mm
Length	4m/max
Application	Trimless recessed in drywall.



• Optional cover



I Structure image




I Effect image



HL-A039



Material	AL6063+PC/PMMA
Surface	Anodized/Painting
Lighting source width	12mm
Length	4m/max
Application	Recessed in exposed wall corner indoor lighting.




Aluminum Profile




End Cap

• Optional cover



I Structure image




I Effect image



HL-A040



Material	AL6063+PC/PMMA
Surface	Anodized/Painting
Lighting source width	12mm
Length	4m/max
Application	Recessed in exposed wall corner indoor lighting.




Aluminum Profile




End Cap

• Optional cover



I Structure image




I Effect image




HL-A041



Material	AL6063+Optical PC lens
Surface	Anodized/Painting
Lens angle	Optional lens angle (30/60/90/120 degrees).
Length	4m/max
Application	For offices, conference rooms, supermarkets, home lighting, etc.





I Structure image



I Effect image



HL-A042/A043



Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	A042 8mm / A043 12mm.
Length	4m/max
Application	The extrusion with LED light source is mostly used as interior lighting, curved lighting.



Aluminum Profile



End Cap



Clip



Bending Degree

• Optional cover



Opal (PC)




Clear (PC)



Semi-clear (PC)

I Structure image




I Effect image





HL-A044



Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	21mm
Length	4m/max
Application	Cabinet lighting



Aluminum Profile




End Cap

• Optional cover



Opal
(PC)

I Structure image




I Effect image



HL-A045



Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	13mm
Length	4m/max
Application	Cabinet lighting




Aluminum Profile End Cap Clip

• Optional cover



Opal (PC)

I Structure image



I Effect image




HL-A046



sliver

Material	AL6063+PC/Aluminum Cover
Surface	Anodized/Painting
Lighting source width	48mm
Length	4m/max
Application	Widely used in shopping centers, commercial buildings, office buildings, home lighting, etc.




I Structure image

I Effect image




• Optional cover



HL-A046-1



Material	AL6063+PC/Aluminum Cover
Surface	Anodized/Painting
Lighting source width	48mm
Length	4m/max
Application	Widely used in shopping centers, commercial buildings, office buildings, home lighting, etc.




End Cap



Suspended Rope




Connector



Aluminum Profile


• Optional cover




Opal (PC)

Silicone

I Structure image




I Effect image



HL-A047



Material	AL6063+PC/Aluminum Cover
Surface	Anodized/Painting
Lighting source width	43mm
Length	4m/max
Application	Widely used in shopping centers, commercial buildings, office buildings, home lighting, etc.



Aluminum Profile



End Cap



Clip



Connector


• Optional cover



Opal (PC)




I Structure image



I Effect image



HL-A048



Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	46mm
Length	4m/max
Application	Widely used in shopping centers, commercial buildings, office buildings, home lighting, etc.



Aluminum Profile



End Cap




Connector

• Optional cover




Opal (PC)

I Structure image



I Effect image






HL-A049



Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	65mm
Length	4m/max
Application	Widely used in shopping centers, commercial buildings, office buildings, home lighting, etc.



Aluminum Profile



End Cap



Suspended Rope




Clip

• Optional cover



Opal (PC)

I Structure image




I Effect image




HL-A050




Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	64mm
Length	4m/max
Application	Widely used in shopping centers, commercial buildings, office buildings, home lighting, etc.



• Optional cover



I Structure image




I Effect image



HL-A051




Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	Ø4mm
Length	4m/max
Application	Widely used in shopping centers, commercial buildings, office buildings, home lighting, etc.




• Optional cover



I Structure image




I Effect image



HL-A052




Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	12mm
Length	4m/ max
Application	Widely used in shopping centers, commercial buildings, office buildings, home lighting, etc.



• Optional cover



I Structure image




I Effect image



HL-A053



Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	12mm
Length	4m/max
Application	Widely used in shopping centers, commercial buildings, office buildings, home lighting, etc.



Aluminum Profile



End Cap



Clip



Suspended Rope


• Optional cover



Opal (PC)




I Structure image



I Effect image



HL-A054



Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	12mm
Length	4m/max
Application	Widely used in shopping centers, commercial buildings, office buildings, home lighting, etc.



Aluminum Profile



End Cap




Clip

• Optional cover



Opal (PC)

I Structure image




I Effect image



HL-A055



Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	14mm
Length	4m/max
Application	Widely used in shopping centers, commercial buildings, office buildings, home lighting, etc.




Aluminum Profile




End Cap


• Optional cover



I Structure image




I Effect image



HL-A056



Material	AL6063+PC/PMMA
Surface	Anodized/Painting
Lighting source width	25mm
Length	4m/max
Application	Widely used in shopping centers, commercial buildings, office buildings, home lighting, etc.



Aluminum Profile




End Cap

• Optional cover




Opal (PC)

I Structure image




I Effect image



HL-A057



Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	32mm
Length	4m/max
Application	Widely used in shopping centers, commercial buildings, office buildings, home lighting, etc.



Aluminum Profile




End Cap

• Optional cover



Opal (PC)

I Structure image




I Effect image



HL-A058



Material	AL6063+PC/Aluminum Cover
Surface	Anodized/Painting
Lighting source width	54mm
Length	4m/max
Application	Widely used in shopping centers, commercial buildings, office buildings, home lighting, etc.



Aluminum Profile




End Cap

• Optional cover




Opal (PC)

I Structure image




I Effect image



HL-A059



Material	AL6063+PC/PMMA
Surface	Anodized/Painting
Lighting source width	14mm
Length	4m/max
Application	Widely used in ceilings, corners of display racks, etc.




Aluminum Profile




End Cap

• Optional cover




I Structure image



I Effect image



HL-A060



Material	AL6063+PC/PMMA
Surface	Anodized/Painting
Lighting source width	12mm
Length	4m/max
Application	Widely used in ceilings, corners of display racks, etc.




Aluminum Profile




End Cap

• Optional cover




I Structure image



I Effect image



HL-A061



Material	Al6063+PC
Surface	Anodized/Painting
Lighting source width	8mm
Length	4m/max
Application	Widely used in 90 degree corners, etc.



Aluminum Profile




End Cap

• Optional cover



Opal (PC)


I Structure image




I Effect image



HL-A062



Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	10mm
Length	4m/max
Application	Widely used in ceilings, corners of display racks, etc.



Aluminum Profile



End Cap


• Optional cover



Opal (PC)



I Structure image




I Effect image



HL-A063



Material	AL6063+PC/PMMA
Surface	Anodized/Painting
Lighting source width	7mm
Length	4m/max
Application	Widely used in shopping centers, commercial buildings, office buildings, home lighting, etc.



Aluminum Profile



End Cap



Clip

• Optional cover



Opal (PC)



Opal matte (PMMA/PC)




Clear (PMMA/PC)



Semi-clear (PMMA/PC)




I Structure image



I Effect image



HL-A064



Material	AL6063+PC/PMMA
Surface	Anodized/Painting
Lighting source width	6mm
Length	4m/max
Application	Widely used in shopping centers, commercial buildings, office buildings, home lighting, etc.



Aluminum Profile



End Cap



Clip

• Optional cover



Opal (PC)



Opal matte (PMMA/PC)




Clear (PMMA/PC)



Semi-clear (PMMA/PC)

I Structure image




I Effect image



HL-A065




Material	AL6063+PC/PMMA
Surface	Anodized/Painting
Lighting source width	6mm
Length	4m/max
Application	Widely used in shopping centers, commercial buildings, office buildings, home lighting, etc.




Aluminum Profile End Cap Clip

• Optional cover




I Structure image



I Effect image



HL-A066



Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	33mm
Length	4m/max
Application	For pendent and surface mounted.



Aluminum Profile



End Cap



Clip




Suspended Rope

• Optional cover




Opal (PC)

I Structure image




I Effect image





HL-A067



Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	33mm
Length	4m/max
Application	For pendent and surface mounted.



Aluminum Profile



End Cap



Clip

• Optional cover




Opal (PC)



Suspended Rope

I Structure image




I Effect image



HL-A068




Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	33mm
Length	4m/max
Application	For pendent and surface mounted.



• Optional cover



I Structure image




I Effect image




HL-A069



Material	Al6063
Surface	Anodized/Painting
Lighting source width	14mm
Length	4m/max
Application	For recessed in corner wall.



Aluminum Profile




End Cap



Screws




I Structure image



I Effect image



HL-A070



Material	Al6063
Surface	Anodized/Painting
Lighting source width	15mm
Length	4m/max
Application	For surface mounted in corner ceiling.



Aluminum Profile



End Cap




Clip




Screws

I Structure image




I Effect image



HL-A071



Material	Al6063+Silicone strips
Surface	Anodized/Painting
Lighting source width	10mm
Length	4m/max
Application	For surface mounted in corner wall.



Aluminum Profile



End Cap

• Optional cover



Red



Yellow




Blue




White


I Structure image



I Effect image



HL-A072



Material	Al6063+PC/Checked Plate
Surface	Anodized/Painting
Lighting source width	max 32mm, min 16mm
Length	4m/max
Application	For offices/conference rooms /supermarkets/home lighting application.



Aluminum Profile



End Cap



Suspended Rope




Connector

• Optional cover




Opal (PC)

I Structure image





I Effect image






HL-A073



Material	AL6063+PC/Checkered Plate
Surface	Anodized/Painting
Lighting source width	20mm, 8mm
Length	4m/max
Application	For pendent mounted.



Aluminum Profile



End Cap



Suspended Rope

• Optional cover



Opal (PC)




Connector



Connector

I Structure image




I Effect image



HL-A074




Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	15mm
Length	4m/max
Application	Widely used in shopping centers, commercial buildings, office buildings, home lighting, etc.



• Optional cover



I Structure image




I Effect image



HL-A076



Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	9mm
Length	4m/max
Application	Widely used in shopping centers, commercial buildings, office buildings, home lighting, etc.



Aluminum Profile



End Cap


• Optional cover




Opal (PC)



I Structure image




I Effect image



HL-A077



Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	9mm
Length	4m/max
Application	Widely used in the application of 90 degrees inside the corner, corner lighting and so on.



Aluminum Profile




End Cap

• Optional cover



Opal (PC)

I Structure image




I Effect image



HL-A078



Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	9mm
Length	4m/max
Application	Widely used in the application of 90 degrees inside the corner, corner lighting and so on.



Aluminum Profile




End Cap

• Optional cover



Opal (PC)


I Structure image



I Effect image



HL-A079



Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	19mm
Length	4m/max
Application	Widely used in shopping centers, commercial buildings, office buildings, home lighting, etc.



Aluminum Profile




End Cap

• Optional cover




Opal (PC)

I Structure image



I Effect image






HL-A080



Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	28mm
Length	4m/max
Application	Widely used in shopping centers, commercial buildings, office buildings, home lighting, etc.



Aluminum Profile




End Cap

• Optional cover



Opal (PC)


I Structure image




I Effect image



HL-A081



Material	Al6063+PC
Surface	Anodized
Lighting source width	61mm
Length	4m/max
Application	Offices, conference rooms, shopping malls, dust-free workshop, hospitals, schools, etc.



Aluminum Profile



End Cap



Clip



Suspended Rope


• Optional cover



PC double-color cover (PC)



I Structure image




I Effect image



HL-A082




Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	143mm
Length	4m/max
Application	For offices/conference rooms supermarkets/home lighting application.



• Optional cover




I Structure image



I Effect image



HL-A084



Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	6mmX4
Length	4m/max
Application	Offices, conference rooms, shopping malls, dust-free workshop, hospitals, schools, etc.

• Optional cover



Opal (PC)



Aluminum Profile



End Cap



Clip




Suspended Rope




Connector

I Structure image




I Effect image



HL-A085




Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	185mm
Length	4m/max
Application	Widely used in shopping centers, commercial buildings, office buildings, home lighting, etc.



• Optional cover



I Structure image




I Effect image



HL-A085-1



Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	18.5mm
Length	4m/max
Application	Widely used in shopping centers, commercial buildings, office buildings, home lighting, etc.



Aluminum Profile



End Cap




Clip

• Optional cover



Opal (PC)


I Structure image



I Effect image



HL-A086



Material	Al6063+PC
Surface	Anodized/Painting
Lighting source width	5mm
Length	4m/max
Application	For office, showrooms, conference room, home lighting, etc.



Aluminum Profile



End Cap




Suspended Rope

• Optional cover



Opal (PC)

I Structure image



I Effect image






HL-A088



Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	40mm
Length	4m/max
Application	For office, conference rooms, supermarkets, home lighting application.



Aluminum Profile


End Cap

• Optional cover



Opal (PC)

I Structure image




I Effect image



HL-A089




Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	30mm
Length	4m/ max
Application	For office, conference rooms, supermarkets, home lighting application.



• Optional cover



I Structure image




I Effect image



HL-A090



Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	9mm
Length	4m/max
Application	For office, conference rooms, supermarkets, home lighting application.



Aluminum Profile



End Cap



Suspended Rope


• Optional cover



Opal (PC)




I Structure image



I Effect image



HL-A091



Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	8mm
Length	4m/max
Application	For office, conference rooms, supermarkets, home lighting application.



Aluminum Profile



End Cap




Clip

• Optional cover



Opal (PC)

I Structure image




I Effect image



HL-A092



Material	AL6063+Silicone strips
Surface	Anodized/Painting
Lighting source width	4mm
Length	4m/max
Application	For office, conference rooms, supermarkets, home lighting application.



Aluminum Profile



Cover


• Optional cover



Red



Yellow




Blue




White




I Structure image




I Effect image



HL-B5075




Material	AL6063-T5+PC
Surface	Anodized/Painting
Lighting source width	34mm
Length	4m/max
Application	Widely used in shopping centers, commercial buildings, office buildings, home lighting, etc.



• Optional cover




I Structure image




I Effect image




HL-B5075A




Material	AL6063-T5+PC
Surface	Anodized/Painting
Lighting source width	30mm
Length	4m/max
Application	Widely used in shopping centers, commercial buildings, office buildings, home lighting, etc.




• Optional cover



I Structure image




I Effect image



HL-B5075C



Material	AL6063-T5+PC
Surface	Anodized/Painting
Lighting source width	30mm
Length	4m/max
Application	Widely used in shopping centers, commercial buildings, office buildings, home lighting, etc.



Aluminum Profile



End Cap



Clip



T Square Tube

• Optional cover




Opal (PC)




Prism (PC)




I Structure image




I Effect image




HL-B6065




Material	AL6063-T5+PC
Surface	Anodized/Painting
Lighting source width	50mm
Length	4m/max
Application	Widely used in shopping centers, commercial buildings, office buildings, home lighting, etc.



• Optional cover




I Structure image



I Effect image



HL-B009



Material	AL6063-T5+PC
Surface	Anodized/Painting
Lighting source width	25mm
Length	4m/max
Application	Office, meeting room, supermarket, school, home lighting etc.



Aluminum Profile



End Cap



Clip



Suspended Rope



Connector

• Optional cover



Opal prism diffuser (PC)




Clear prism diffuser (PC)



Semi-clear prism diffuser (PC)

I Structure image




I Effect image




HL-B3535



Material	AL6063-T5+PC/PMMA
Surface	Anodized/Painting
Lighting source width	25mm
Length	4m/max
Application	Widely used in shopping centers, commercial buildings, office buildings, home lighting, etc.



Aluminum Profile



Connector



Suspended Rope



End Cap

• Optional cover



Opal (PC)



Clear (PC)



Semi-clear (PC)



Black clear microprism (PC)



Opal microprism (PMMA)



Clear Microprism (PMMA)




Semi-clear microprism (PMMA)



Opal matte microprism (PMMA)




I Structure image



I Effect image




HL-B5050




Material	AL6063+PC
Surface	Anodized/Painting
Lighting source width	40mm
Length	4m/max
Application	For offices / conference rooms / supermarkets / home lighting application.



I Structure image



I Effect image



HL-B2830



Material	AL6063+PMMA
Surface	Anodized/Painting
Lighting source width	10mm
Length	3m/max
Application	For offices / conference rooms / supermarkets / home lighting application.



Aluminum Profile




End Cap



Suspended Rope


I Structure image






PROJECT GASE

40-200 Width also can be customized




BENDING DIRECTION




1

ONLY LIGHT DOWN




2

ONLY LIGHT RIGHT




3

ONLY LIGHT LIFE



4


LIGHT UP AND DOWN



5

LIGHT LIFE AND RIGHT

HL-1213A1



Material	Al6063-T5+Silicone
Surface	Anodized
Lighting source width	9mm
Length	4m/max
Application	For office, conference rooms, home lighting application.





Aluminum Profile




Silicone Cover


I Installation:





HL-1515B1



Material	AL6063-T5+Silicone
Surface	Anodized
Lighting source width	12mm
Length	4m/max
Application	For office, conference rooms, home lighting application.



Installation:




Aluminum Profile





Silicone Cover

HL-1515C1



Material	AL6063-T5+Silicone
Surface	Anodized
Lighting source width	12mm
Length	4m/max
Application	For office, conference rooms, home lighting application.





Aluminum Profile




Silicone Cover

I Installation:



HL-2814A



Material	AL6063-T5+Silicone
Surface	Anodized
Lighting source width	20mm
Length	4m/max
Application	For office, conference rooms, home lighting application.




Aluminum Profile




Silicone Cover


I Installation:



HL-2814B



Material	AL6063-T5+Silicone
Surface	Anodized
Lighting source width	20mm
Length	4m/max
Application	For office, conference rooms, home lighting application.




Aluminum Profile



Silicone Cover



I Installation:





For additional product information,
technical downloads, project inspiration,
contact details and much more... please go to

www.hllcd.com

Shenzhen Helian Electronics Co.,Ltd

Address: 3F, Tonggao building 2, Sanlian industrial area, Songbai Rd,
Shiyan Town, Bao'an District, Shenzhen, Guangdong, China

Tel: (86)-755-27606785

Fax: (86)755-27607521

E-mail: admin@hllcd.com

TWO THOUSAND TWENTY FIVE